

LOT No.	Vessel No.	Invoice No.	Supplier	Asset Description	No.	Qty
LIGHTING PACKAGE						
646	DRU#1	2015-EAS/0776	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	LUMINÁRIA,MIRZ54DE4K0PB2036HGW99A20000LD MI214	EA	856.00
647	DRU#1	2015-EAS/0776	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	LUMINÁRIA,MIRS67DE8K0PB2036HGW99A20000LD MI215	EA	14.00
648	DRU#1	2015-EAS/0776	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	LUMINÁRIA,MIRZ54DE4K0PB2018HGW99A20000LD MI807	EA	762.00
649	DRU#1	2015-EAS/0776	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	LUMINÁRIA,MIRS67DE8K0PB2018HGW99A20000LD MI518	EA	59.00
650	DRU#1	2015-EAS/0776	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	NAC 32.S.W, FÊMEA	EA	6.00
651	DRU#1	2015-EAS/0776	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	NAC 31.S.W MACHO	EA	6.00
652	DRU#1	2015-EAS/0776	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	LAMP., TC-DEL 18/840 G24Q-2	EA	6.00
653	DRU#1	2015-EAS/0776	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	LUM. TETO, DLT RT (M) 300 236HF FR2 IP20 2242	EA	20.00
654	DRU#1	2015-EAS/0776	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	LAMP. T26 18/840 G13	EA	2.00
655	DRU#1	2015-EAS/0777	GLAMOX ASA -LIG-FIX-EMER-OUT-LQ	MAXZ67TB8K0PB2018HUW94A00S2ELD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT FOR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 18 WATT. PA110	EA	194.00
656	DRU#1	2015-EAS/0778	GLAMOX ASA-LIGTH-FIX-EX-GRADE	MAXZ67DE8K0PB2018HUW94A20000LD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 36 WATT. PA114	PÇ	29.00
657	DRU#1	2015-EAS/0778	GLAMOX ASA-LIGTH-FIX-EX-GRADE	MAXZ67DE8K0PB2036HUW94A20000LD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 36 WATT. PA112	PÇ	13.00
658	DRU#1	2015-EAS/0778	GLAMOX ASA-LIGTH-FIX-EX-GRADE	MAXZ67DE8K0PB2018HUW94A20000LD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 18 WATT. PA114	PÇ	127.00
659	DRU#1	2015-EAS/0778	GLAMOX ASA-LIGTH-FIX-EX-GRADE	MAXZ67DE8K0PB2018HUW94A20000LD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 18 WATT. PA114	PÇ	55.00
659a	DRU#1	2015-EAS/0778	GLAMOX ASA-LIGTH-FIX-EX-GRADE	CHARGER FOR WOLD H-251-ATEX C-251HVE	EA	10.00
660	DRU#1	2015-EAS/0779	GLAMOX ASA -FLOOD-LIGTHS-OUT-LQ	GFX 500 QT-DE WB M25 =0:CEPEL-EXECUTION: WITH LAMP AND HOUSING WHITE CABLE GLANDS POINTING DOWNWARDS IP67 MAX. 250V 50-60HZEEEX DE IIB T3 ZONE 1 AND 2 FLOODLING.	PC	4.00
661	DRU#2	2015-EAS/0787	GLAMOX ASA -FLOOD-LIGTHS-OUT-LQ	GFX 500 QT-DE WB M25 =0:CEPEL-EXECUTION: WITH LAMP AND HOUSING WHITE CABLE GLANDS POINTING DOWNWARDS IP67 MAX. 250V 50-60HZEEEX DE IIB T3 ZONE 1 AND 2 FLOODLING.	EA	6.00
662	DRU#2	2015-EAS/0796	GLAMOX ASA -FLOOD-LIGTHS-OUT-LQ	GFX 400F HST 3/6 WB M25:CEPEL- EXECUTION:HOUSING WHITE CABLE GLAND POINTING DOWNWARDS IP67 230V 60HZEEEXDE IIB T3 ZONE 1 AND 2 FLOODLING.	EA	10.00
663	DRU#2	2015-EAS/0788	GLAMOX ASA -LIG-FIX-EMER-OUT-LQ	MAXZ67TB8K0PB2018HUW94A00S2ELD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 18 WATT. PA110	EA	88.00
664	DRU#2	2015-EAS/0788	GLAMOX ASA -LIG-FIX-EMER-OUT-LQ	MAXS67TB8K0PB2018HUW94A00S2ELD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE WITH STAINLESS STEEL; BODY, IP66/67. 2 LAMPS 18 WATT. PA111	EA	103.00
665	DRU#2	2015-EAS/0788	GLAMOX ASA -LIG-FIX-EMER-OUT-LQ	MAXZ67TB8K0PB2018HUW94A00S2ELD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 18 WATT. PA110	EA	3.00
666	DRU#2	2015-EAS/0795	GLAMOX ASA -LIG-FIX-EMER-OUT-LQ	MAXZ67TB8K0PB2018HUW94A00S2ELD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 18 WATT. PA110	EA	191.00
667	DRU#2	2015-EAS/0795	GLAMOX ASA -LIG-FIX-EMER-OUT-LQ	MAXZ67TB8K0PB2018HUW94A00S2ELD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 18 WATT. PA110	EA	37.00

668	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	MIRZ54DE4K0PB2036HGW99A20000LD MIR - INDUSTRIAL AND MARINE LUMINARE ALUZINK BODY; NOT FOR. OUTDOOR INST. ONBOARD SHIP IP54. 2 LAMPS 36 WATT. MI214	EA	642.00
669	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	MIRZ54DE4K0PB2036HGW99A20000LD MIR - INDUSTRIAL AND MARINE LUMINARE ALUZINK BODY; NOT FOR. OUTDOOR INST. ONBOARD SHIP IP54. 2 LAMPS 36 WATT. MI214	EA	214.00
670	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	MIRZ54DE4K0PB2018HGW99A20000LD MIR - INDUSTRIAL AND MARINE LUMINARE ALUZINK BODY; NOT FOR. OUTDOOR INST. ONBOARD SHIP IP54. 2 LAMPS 18 WATT. MI807	EA	679.00
671	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	MIRZ54DE4K0PB2018HGW99A20000LD MIR - INDUSTRIAL AND MARINE LUMINARE ALUZINK BODY, NOT FOR. OUTDOOR INST. ONBOARD SHIP IP54. 2 LAMPS 18 WATT. MI807	EA	368.00
672	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	MIRS67DE8K0PB2018HGW99A20000LD MIR - INDUSTRIAL AND MARINE LUMINARE WITH STAINLESS STEEL BO; DY, IP66/67. 2 LAMPS 18 WATT. MI518	EA	59.00
673	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	CASA(M) H70B0 118HF SILVER REFL + ENSTO NAC IP20 230-240V 50-60HZ RECESSED DOWNLIGHT.	EA	6.00
674	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	CASA 16 CLEAR W/CHROME RING IP IP45TRIM RING IN CHROM WITH CLEAR DIFFUSER FOR USE TOGETHER; WITH DOWNLIGHT TO ACHIEVE IP45.	EA	6.00
675	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	AIR LED T60 AG 106 932 CLA EU IP20 LED 6W AIR IS A SELF-BALANCING TASK LIGHT WITH A SPRI.	EA	9.00
676	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	DLT RT (M) 300 236HF FR2 IP20 230V 50-60HZRECESSED IN T-PROFILE CEILING MOUNTED LUM. 8 LAMP 36W. 2242	EA	14.00
677	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	MNT DLT RT/RW MOUNTING KIT - SUSPENTION BRACKET SET FOR DLT RT. 4 SEPARATE MOUNTING BRACK; ETS TO BE MOUNTED AT SIDES IN EACH END OF DLT RT OR DLT RS.	EA	14.00
678	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	DLT RT (M) 300 218HF FR2 IP20 230V 50-60HZRECESSED IN T-PROFILE CEILING MOUNTED L; UMINARE WITH WHITE STOVE ANAMELLED STTEL BODY FOR TWO FLUOR; ESCENT T8 LAMP 18W WITH SOCKET G13.	EA	1.00
679	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	MNT DLT RT/RW MOUNTING KIT - SUSPENTION BRACKET SET FOR DLT RT. 4 SEPARATE MOUNTING BRACK; ETS TO BE MOUNTED AT SIDES IN EACH END OF DLT RT OR DLT RS.	EA	1.00
680	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	LAMP T26 18/840 G13	EA	2.00
681	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	DLT RT (M) 300 236HF FR2 IP20 230V 50-60HZRECESSED IN T-PROFILE CEILING MOUNTED LUM. 8 LAMP 36W. 2242	EA	5.00
682	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	MNT DLT RT/RW MOUNTING KIT - SUSPENTION BRACKET SET FOR DLT RT.4 SEPARATE MOUNTING BRACK; ETS TO BE MOUNTED AT SIDES IN EACH END OF DLT RT OR DLT RS.	EA	5.00
683	DRU#2	2015-EAS/0790	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	TL14-W58 118HF 3-4/5-6 OP PHUNIVERSAL LUMINAIRE 1X18W: 220-240V: 50/60HZ:IP44WITH ELECTRONIC BALLAST AND DIFFUSER OPAL IP44 230-240V 50-60HZMIRROR LUMINAIRE FOR WALL MOUNTING. 26 LAMP 18W.	EA	2.00
684	DRU#2	2015-EAS/0789	GLAMOX ASA-LIGTH-FIX-EX-GRADE	MAXZ67DE8K0PB2018HUW94A20000LD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 36 WATT. PA114	EA	29.00
685	DRU#2	2015-EAS/0789	GLAMOX ASA-LIGTH-FIX-EX-GRADE	MAXZ67DE8K0PB2036HUW94A20000LD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 36 WATT. PA112	EA	13.00
686	DRU#2	2015-EAS/0789	GLAMOX ASA-LIGTH-FIX-EX-GRADE	MAXZ67DE8K0PB2018HUW94A20000LD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 18 WATT. PA114	EA	127.00
687	DRU#2	2015-EAS/0789	GLAMOX ASA-LIGTH-FIX-EX-GRADE	MAXZ67DE8K0PB2018HUW94A20000LD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 18 WATT. PA114	EA	55.00
688	DRU#2	2015-EAS/0789	GLAMOX ASA-LIGTH-FIX-EX-GRADE	WOLFLITE HANDLAMP H-251-ATEX	EA	10.00
689	DRU#2	2015-EAS/0789	GLAMOX ASA-LIGTH-FIX-EX-GRADE	CHARGER FOR WOLF H-251-ATEX C-251HVE	EA	10.00

690	DRU#2	2015-EAS/0789	GLAMOX ASA-LIGTH-FIX-EX-GRADE	MAXS67DE8K0PB2018HUW94A20000LD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE WITH STAINLESS STEEL; BODY, IP66/67. 2 LAMPS 18 WATT. PA115	EA	13.00
691	DRU#3	2015-EAS/0794	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	MIRZ54DE4K0PB2036HGW99A20000LD MIR - INDUSTRIAL AND MARINE LUMINARE ALUZINK BODY; NOT FOR. OUTDOOR INST. ONBOARD SHIP IP54. 2 LAMPS 36 WATT. MI214	EA	642.00
692	DRU#3	2015-EAS/0794	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	MIRZ54DE4K0PB2036HGW99A20000LD MIR - INDUSTRIAL AND MARINE LUMINARE ALUZINK BODY; NOT FOR. OUTDOOR INST. ONBOARD SHIP IP54. 2 LAMPS 36 WATT. MI214	EA	41.00
693	DRU#3	2015-EAS/0794	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	MIRZ54DE4K0PB2018HGW99A20000LD MIR - INDUSTRIAL AND MARINE LUMINARE ALUZINK BODY; NOT FOR. OUTDOOR INST. ONBOARD SHIP IP54. 2 LAMPS 18 WATT. MI807	EA	679.00
694	DRU#3	2015-EAS/0794	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	MIRZ54DE4K0PB2018HGW99A20000LD MIR - INDUSTRIAL AND MARINE LUMINARE ALUZINK BODY, NOT FOR. OUTDOOR INST. ONBOARD SHIP IP54. 2 LAMPS 18 WATT. MI807	EA	154.00
695	DRU#3	2015-EAS/0794	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	MIRS67DE8K0PB2018HGW99A20000LD MIR - INDUSTRIAL AND MARINE LUMINARE WITH STAINLESS STEEL BO; DY, IP66/67. 2 LAMPS 18 WATT. MI518	EA	123.00
696	DRU#3	2015-EAS/0794	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	DLT RT (M) 300 236HF FR2 IP20 230V 50-60HZRECESSED IN T-PROFILE CEILING MOUNTED LUM. 8 LAMP 36W. 2242	EA	14.00
697	DRU#3	2015-EAS/0794	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	DLT RT (M) 300 218HF FR2 IP20 230V 50-60HZRECESSED IN T-PROFILE CEILING MOUNTED L; UMINARE WITH WHITE STOVE ANAMELLED STEEL BODY FOR TWO FLUOR; ESCENT T8 LAMP 18W WITH SOCKET G13.	EA	1.00
698	DRU#3	2015-EAS/0794	GLAMOX ASA -LIGHTING FIXTURES IP GRADES OUT LQ	DLT RT (M) 300 236HF FR2 IP20 230V 50-60HZRECESSED IN T-PROFILE CEILING MOUNTED LUM. 8 LAMP 36W. 2242	EA	5.00
699	DRU#3	2015-EAS/0793	GLAMOX ASA-LIGTH-FIX-EX-GRADE	MAXZ67DE8K0PB2018HUW94A20000LD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 36 WATT. PA114	EA	29.00
700	DRU#3	2015-EAS/0793	GLAMOX ASA-LIGTH-FIX-EX-GRADE	MAXZ67DE8K0PB2036HUW94A20000LD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 36 WATT. PA112	EA	100.00
701	DRU#3	2015-EAS/0793	GLAMOX ASA-LIGTH-FIX-EX-GRADE	MAXZ67DE8K0PB2018HUW94A20000LD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 18 WATT. PA114	EA	127.00
702	DRU#3	2015-EAS/0793	GLAMOX ASA-LIGTH-FIX-EX-GRADE	MAXZ67DE8K0PB2018HUW94A20000LD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE, ALUZINK BODY, NOT F; OR OUTDOOR INST. ONBOARD SHIP IP66/67. 2 LAMPS 18 WATT. PA114	EA	57.00
703	DRU#3	2015-EAS/0793	GLAMOX ASA-LIGTH-FIX-EX-GRADE	CHARGER FOR WOLF H-251-ATEX C-251HVE	EA	20.00
704	DRU#3	2015-EAS/0793	GLAMOX ASA-LIGTH-FIX-EX-GRADE	MAXS67DE8K0PB2018HUW94A20000LD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE WITH STAINLESS STEEL; BODY, IP66/67. 2 LAMPS 18 WATT. PA115	EA	38.00
705	DRU#3	2015-EAS/0793	GLAMOX ASA-LIGTH-FIX-EX-GRADE	MAXS67DE8K0PB2018HUW94A20000LD MAX - HAZARDOUS AREA, ZONE 1 LUMINAIRE WITH STAINLESS STEEL; BODY, IP66/67. 2 LAMPS 18 WATT. PA115	EA	81.00